## **IN THE CLAIMS**

Please amend the claims as follows.

1. (Currently Amended) A resource allocator operable to allocate a plurality of resources among a plurality of tasks within a process system, the process system capable of executing at least one application process, the resource allocator comprising:

a monitoring controller operable to monitor one or more characteristics associated with the at least one application process, the resources, and the tasks;

a model of the process system representing mathematically the resources and the tasks and defining relationships among related ones of the resources and the tasks as a function of the at least one application process;

a resource allocation controller operable to operate the model in response to ones of the monitored characteristics [[and]] to allocate ones of the resources among ones of the tasks to execute the at least one application process; and

a graphical user interface operable to identify (i) the resources and (ii) flows between at least some of the resources, the graphical user interface comprising at least one virtual queue associated with at least one of the resources and identifying one or more items to be processed by the at least one of the resources.

-4-

PATENT

2. (Original) The resource allocator of Claim 1, wherein:

the resources comprise one or more wet decks and one or more furnaces, the one or more furnaces comprising at least one vertical polysilicon furnace; and

one virtual queue is associated with the at least one vertical polysilicon furnace, the one

or more items identified in the virtual queue comprising a plurality of semiconductor wafer lots

to be run through the at least one vertical polysilicon furnace.

3. (Original) The resource allocator of Claim 2, wherein the virtual queue

identifies a recipe associated with each semiconductor wafer lot, a number of semiconductor

wafers in each semiconductor wafer lot, and a latest time when each semiconductor wafer lot

should be provided to the at least one vertical polysilicon furnace.

4. (Original) The resource allocator of Claim 3, wherein the virtual queue is

associated with a spreadsheet, the spreadsheet comprising additional information about the

semiconductor wafer lots.

-5-

5. (Original) The resource allocator of Claim 2, wherein the graphical user interface comprises:

a first portion identifying at least two types of semiconductor wafers to be processed; and a second portion identifying the one or more wet decks, one or more furnaces, and flows of semiconductor wafer lots between at least some of the one or more wet decks and the one or more furnaces, the second portion comprising the virtual queue.

- 6. (Currently Amended) The resource allocator of Claim [[1]] 5, wherein the first portion comprises a plurality of buckets, each bucket associated with one type of item to be processed by the resources, each bucket identifying a plurality of time periods and a number of items to be processed during each of the time periods.
- 7. (Original) The resource allocator of Claim 6, wherein each bucket is associated with a spreadsheet, the spreadsheet comprising additional information about the items of the associated item type to be processed.
- 8. (Currently Amended) The resource allocator of Claim [[1]] 5, wherein the second portion comprises a plurality of objects, each object associated with one of the resources, at least two different types of resources associated with objects of different shapes.

- 9. (Original) The resource allocator of Claim 8, wherein at least one object has at least one of an associated color and an associated shading that identifies a status of the resource associated with the object.
- 10. (Original) The resource allocator of Claim 8, wherein at least one object identifies a number of items being processed by the resource associated with the object and a number of the items to be provided to the resource associated with the virtual queue.

PATENT

11. (Currently Amended) A method for allocating a plurality of resources

among a plurality of tasks within a process system, the process system capable of executing at

least one application process, the method comprising:

monitoring one or more characteristics associated with the at least one application

process, the resources, and the tasks;

modeling the process system to represent mathematically the resources and the tasks and

to define relationships among related ones of the resources and the tasks as a function of the at

least one application process;

operating the model in response to ones of the monitored characteristics [[and]] to

allocate [[ing]] ones of the resources among ones of the tasks to execute the at least one

application process; and

generating a graphical user interface operable to identify (i) the resources and (ii) flows

between at least some of the resources, the graphical user interface comprising at least one

virtual queue associated with at least one of the resources and identifying one or more items to

be processed by the at least one of the resources.

-8-

**PATENT** 

12. (Original) The method of Claim 11, wherein:

the resources comprise one or more wet decks and one or more furnaces, the one or more

furnaces comprising at least one vertical polysilicon furnace; and

one virtual queue is associated with the at least one vertical polysilicon furnace, the one

or more items identified in the virtual queue comprising a plurality of semiconductor wafer lots

to be run through the at least one vertical polysilicon furnace.

13. (Original) The method of Claim 12, wherein the virtual queue identifies a

recipe associated with each semiconductor wafer lot, a number of semiconductor wafers in each

semiconductor wafer lot, and a latest time when each semiconductor wafer lot should be

provided to the at least one vertical polysilicon furnace.

14. (Original) The method of Claim 13, further comprising opening a spreadsheet

in response to user input, the spreadsheet associated with the virtual queue and comprising

additional information about the semiconductor wafer lots.

-9-

15. (Original) The method of Claim 12, wherein the graphical user interface comprises:

a first portion identifying at least two types of semiconductor wafers to be processed; and a second portion identifying the one or more wet decks, one or more furnaces, and flows of semiconductor wafer lots between the one or more wet decks and the one or more furnaces, the second portion comprising the virtual queue.

- 16. (Currently Amended) The method of Claim [[11]] 15, wherein the first portion comprises a plurality of buckets, each bucket associated with one type of item to be processed by the resources, each bucket identifying a plurality of time periods and a number of items to be processed during each of the time periods.
- 17. (Original) The method of Claim 16, further comprising opening a spreadsheet associated with one of the buckets in response to user input, the spreadsheet comprising additional information about the items of the associated item type to be processed.
- 18. (Currently Amended) The method of Claim [[11]] 15, wherein the second portion comprises a plurality of objects, each object associated with one of the resources, at least two different types of resources associated with objects of different shapes.

19. (Original) The method of Claim 18, wherein:

at least one object has at least one of an associated color and an associated shading that identifies a status of the resource associated with the object; and

at least one object identifies a number of items being processed by the resource associated with the object and a number of the items to be provided to the resource associated with the virtual queue.

20. (Currently Amended) A computer program embodied on a computer readable medium and operable to be executed by a processor, the computer program comprising computer readable program code for generating a graphical user interface, the graphical user interface comprising:

a first portion identifying at least two types of semiconductor wafers to be processed by at least one of one or more wet decks and one or more furnaces, the one or more furnaces comprising at least one vertical polysilicon furnace; and

a second portion identifying the one or more wet decks, the one or more furnaces, and flows of semiconductor wafer lots between the one or more wet decks and the one or more furnaces;

the second portion comprising at least one virtual queue operable to identify one or more semiconductor wafer lots that have been scheduled to be processed by the at least one vertical polysilicon furnace.

PATENT

21. (Original) The computer program of Claim 20, wherein the virtual queue

identifies a recipe associated with each semiconductor wafer lot, a number of semiconductor

wafers in each semiconductor wafer lot, and a latest time when each semiconductor wafer lot

should be provided to the at least one vertical polysilicon furnace.

22. (Original) The computer program of Claim 21, further comprising computer

readable program code for providing a spreadsheet in response to user input, the spreadsheet

associated with the virtual queue and comprising additional information about the semiconductor

wafer lots.

23. (Original) The computer program of Claim 20, wherein the first portion

comprises a plurality of buckets, each bucket associated with one type of semiconductor wafer to

be processed by the one or more wet decks and the one or more furnaces, each bucket identifying

a plurality of time periods and a number of semiconductor wafers to be processed during each of

the time periods.

24. (Original) The computer program of Claim 23, further comprising computer

readable program code for providing a spreadsheet associated with one of the buckets in

response to user input, the spreadsheet comprising additional information about at least some of

the semiconductor wafers to be processed.

-12-

25. (Original) The computer program of Claim 20, wherein the second portion comprises a plurality of objects, each object associated with one of the wet decks or furnaces, wherein one or more objects associated with the one or more wet decks have a different shape than one or more objects associated with the one or more furnaces.

26. (Original) The computer program of Claim 25, wherein:

at least one object has at least one of an associated color and an associated shading that identifies a status of the wet deck or furnace associated with the object; and

at least one object identifies a number of semiconductor wafers being processed by the furnace associated with the object and a number of those semiconductor wafers to be provided to the at least one vertical polysilicon furnace.